## THE LOWER EXTREMITY FUNCTIONAL SCALE

We are interested in knowing whether you are having any difficulty at all with the activities listed below because of your lower limb Problem for which you are currently seeking attention. Please provide an answer for each activity.

## Today, do you or would you have any difficulty at all with:

08700780	Any of your usual work, housework, or school activities. Your usual hobbies, re creational or sporting activities. Getting into or out of the bath. Walking between rooms. Putting on your shoes or socks. Squatting. Lifting an object, like a bag of groceries from the floor. Performing light activities around your home.
Squatt	ng. an object, like a bag of graceries from the floor.
סס	erforming light activities around your home.
$\vdash$	Getting into or out of a car.
	Walking a mile.
	Going up or down 10 stairs (about 1 flight of stairs).
0.0	Standing for 1 hour.
17.00	Running on even ground.
17	Running on uneven ground.
8	Making sharp turns while running tast.
20	Rolling over in bed.

Minimum Level of Detectable Change (90% Confidence): 9 points

SCORE:

Please submit the sum of responses.
Reprinted from Binkley, J., Stratford, P., Lott, S., Riddle, D., & The North American Orthopsedic Rehabilitation Research Network, The Lower Extremity Functional Scale: Scale development, measurement properties, and clinical application, Physical Therapy, 1999, 79, 4371-383, with permission of the American Physical Therapy Association.